

onsagers



Bergen, Norway
10 March 2005

DT08 Rec'D CT/PTO 14 MAR 2005

#2
U.S. Patent and Trademark Office
Customer Service Window
The Randolph Building
401 Dulany Street
1st Floor
Alexandria, VA 22314
USA

Our ref.: P18235USPC
Christian D. Abel

Your ref.:

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application serial no.: 10/518,764

Inventor: Syse

For: Arrangement at a hydraulic cylinder on a manoeuvrable plug for plugging pipes

Group No.:

Examiner:

Attorney docket no.: P18235USPC


Sir:

Please find enclosed for filing:

- IDS
- Copies of non-US IDS cites
- Return receipt postcard

Please charge and any and all necessary fees during the pendency of this application to deposit account 501898.

Respectfully submitted,
ONSAGERS AS


Christian D. Abel
Reg no. 43,455
Cust. No. 29078

ONSAGERS AS
Universitetsgt. 7
Pb. 6963 St. Olavs Plass
0130 Oslo
Tlf: (+47) 23 32 77 00
Fax: (+47) 23 32 77 01
post@onsagers.no

ONSAGERS VEST
Dreggsallmeningen
10-12
P.B. 120 BG Sandviken
5812 Bergen
Tlf: (+47) 55 21 05 60
Fax: (+47) 55 21 05 61
vest@onsagers.no

ONSAGERS NORD
Søndre Tollbodgt. 3a
9008 Tromsø
Tlf: (+47) 77 67 05 00
Fax: (+47) 77 67 04 99
nord@onsagers.no

ONSAGERS Ltd.
Charles House
5 Regent Street
London SW1Y 4LR
UK
Tel:
+44 (0) 20 78 39 74 07
Fax:
+44 (0) 20 78 39 64 46
mail@onsagers.com

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use as many sheets as necessary)

Sheet	1	of	1
-------	---	----	---

Complete if Known

Application Number	10518,764
Filing Date	12/16/2004
First Named Inventor	Syse
Art Unit	
Examiner Name	
Attorney Docket Number	P18235USPC

U. S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T ⁶
		Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	MM-DD-YYYY			
		GB2286868	08/30/1995	Stoit Comex	whole doc	
		GB2235745	03/13/1991	Dowasue	whole doc	
		GB2203214	10/12/1988	Dowasue	whole doc	
		WO 03/067134	08/14/2003	Carsphairn	whole doc	

Examiner
Signature

Date
Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.